



1707B - Emergency & Recovery Trolley

(Height, Trendelenburg & Rev. Trendelenburg Adjustment by Crank)

- Overall approximate dimension: 1905 mm x 710 mm 75" x 28" (L x W).
- Stretcher dimension approximate: 1830 mm x 560 mm 72" x 22" (L x W).
- Mattress platform size - 1790 mm x 560 mm, 70" x 22" (L x W).
- Mattress size - 1790 mm x 556 mm, 70" x 22" (L x W).
- Two section top with removable X-ray permeable stretcher top made of pre-treated-laminated board supported on tubular frame.
- Height adjusted by crank mechanism from 625 mm (25") to 810 mm (32").
- Trendelenburg & reverse trendelenburg positions operated on crank mechanism.
- Backrest raised on ratchet.
- Four 125 mm (5") diameter castor wheels with high grade synthetic body, two with brake and two without brake.
- Buffers at four corners.
- Synthetic rubber covered pushing handles.
- Stainless steel telescopic I.V. Rod along with provision at four locations and swing-away type mild steel epoxy powder coated side rails.
- Pre-treated and powder coated finish.
- Supplied in Semi Knocked Down condition (SKD).
- Safety belts provided.
- Safe working load of 165 kgs and patient load bearing capacity of 135 kgs.

Optional Accessories

Rexine covered mattress of 50 mm, (2") thickness (1752D)

Sliding X-Ray Cassette Holder (551C)